

PRODUCT INFORMATION BULLETIN

FIFRA Section 2(ee) Recommendation

PERMETHRIN	GROUP	3A	INSECTICIDE
------------	-------	-----------	-------------

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF FLORIDA

PROZAP®
Screw Worm
Ear Tick Aerosol

EPA Reg. No. 47000-100

This FIFRA Section 2(ee) recommendation expires December 31, 2030

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This 2(ee) recommendation contains directions for use which do not appear on the package label and must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions and precautions on the EPA registered label when using Prozap Screw Worm Ear Tick Aerosol.

This product has not been tested specifically for efficacy against New World screwworm (NWS, adults or larvae); however, applied as part of an integrated pest management plan, it may have preventative action against adult NWS (flies).

No single therapy should be assumed to be 100% effective. Implementation of a multi-faceted program is considered critical.

This product bulletin contains new or additional directions for use are recommended by Neogen Corporation under FIFRA Section 2(ee).

Pest	How to Apply
PESTS ON LARGE ANIMALS (Dairy or Beef Cattle, Horses, Sheep and Goats)	
New World Screw Worm (<i>Cochliomyia hominivorax</i>)	Hold can about 4 to 8 inches from the area to be treated with nozzle pointed at wound. Spray the area until it is completely wet (3 to 10 seconds are usually enough). The area surrounding the wound should also be sprayed. This product is not recommended for use in deep wounds.

USE RESTRICTIONS

- Do not breathe dust, vapors or spray mist.
- Do not apply when food is present.
- Do not apply or irrigate to the point of run-off.
- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).
- Rainfall within 24 hours after application may cause unintended runoff of pesticide application.

- Do not allow to enter indoor or outdoor drains. *No permita la entrada a desagües internos o externos.*



- Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.
- For use on plants intended only for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.
- Do not use in food areas of food handling establishment, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed, or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held.
- Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).
- In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.
- Exposed food should be covered or removed.
- Remove pets and birds and cover fish aquarium(s) before space spraying or surface applications. This product is not for use on humans. If lice infestations should occur on humans, use a product labeled for use on humans. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry. Allow all sprayed articles to dry thoroughly before use.
- When applying as a space spray, remove people and pets from the area before spraying.
- Application of product on pets must only be done indoors.
- Except when applying to pets or livestock, do not enter or allow others to enter until sprays have dried.

SHAKE WELL BEFORE USING

Note on Resistance: Some strains of screw worm may develop resistance to pyrethroids. This will be observed by lack of response to treatment. Where pyrethroid resistance is known or suspected, this product should not be used.

Resistance Management Recommendations

For resistance management, Prozap Screw Worm Ear Tick Aerosol contains a Group 3A insecticide. Any insect population may contain individuals naturally resistant to Prozap Screw Worm Ear Tick Aerosol and other Group 3A insecticides. The resistant individuals may dominate the insect/mite population if this group of insecticides/acaricides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

- Rotate the use of [Product Name] or other Group 3A insecticides with different groups that control the same pests.
- Adopt an integrated pest management program for insecticide use.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact Cooperative Agricultural Extension Agent or your local Neogen representative at 1-800-477-8201.

IMPORTANT NOTICE

BEFORE BUYING OR USING THE PRODUCT COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABEL FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY, AND FOLLOW ALL APPLICATBLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS.

It is a violation of Federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This Bulletin contains supplemental instructions for the use of the reference Neogen product. Follow these instructions carefully. This Bulletin must be in the possession of the User at the time of application.

Read the Disclaimer on the product label before buying or using the Neogen product covered by this bulletin. Neogen will not be responsible for losses or damages resulting from the use of this product in any manner not specifically stated by Neogen on the product label or this Bulletin. User assumes all risks associated with any such non-specified use. Use by Buyer or any other User constitutes acceptance of the terms of the Disclaimer of the product label.

Registrant:
Chem-Tech, Ltd.TM
1006 Business Highway 5
Pleasantville, IA 50225 U.S.A.



Chem-Tech, Ltd.TM is a wholly owned subsidiary of Neogen Corporation.
© Neogen Corporation 2026. Neogen and Prozap are registered trademarks of Neogen Corporation